

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/645988.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 08:58
S2	3623966	temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 11:24
S3	3643703	storage or storing or memory or memories or LUT or L-U-T or (look adj up adj table) or (look-up adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:46
S4	14039	(spray or splay) and bend	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 09:24
S5	26938	OCD or (optical\$3 near3 compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:47
S6	473041	(black or white) and (mode or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 16:55
S7	35563	birefringe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:47
S8	67374	DAC or D-A-C or (digital-to-analog) or (digital adj to adj analog)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:47
S9	108794	interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 09:34
S10	857	PTAT or (proportional-to-ambient adj temperature) or (proportional adj to adj ambient adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:48

EAST Search History

S11	468051	fan or (cooling near system) or peltier	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:44
S12	2	peltier near3 thermal near3 loop	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:49
S13	11692	apply\$3 near4 algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:49
S14	299	345/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 13:50
S16	114793	temperature near5 (correct\$3 or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 14:24
S17	136	S16 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 14:00
S19	6	S17 and S8 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 16:09
S20	7	S17 and S8 and (S6 or S5 or S4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:09
S21	46	S17 and S6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 14:32
S22	12	S9 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 16:03

EAST Search History

S25	6684	(black and white) near6 (mode or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 16:56
S26	35	S25 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/07 16:56
S27	861	PTAT or (proportional-to-ambient adj temperature) or (proportional adj to adj ambient adj temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 08:56
S28	299	345/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:24
S29	2	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 08:53
S30	3	S27 and "345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 08:54
S31	114890	temperature near5 (correct\$3 or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 08:56
S32	7	S28 and Peltier	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:19
S33	14062	(spray or splay) and bend	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:10
S34	2	S33 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 09:25

EAST Search History

S35	108930	interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 09:34
S36	14	S35 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 09:34
S37	26980	OCD or (optical\$3 near3 compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:09
S38	35610	birefringe\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:10
S39	22	S28 and (S37 or S33 or S38)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:11
S40	757	(heat near sink) with (hot with cold)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:34
S41	0	S40 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:23
S42	7	S28 and Peltier	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 12:17
S43	1	Bismuth and Telluride and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:34
S44	5	("3936817").URPN.	USPAT	OR	ON	2005/12/08 10:36
S45	6	TEC same thermocouple same series	USPAT	OR	ON	2005/12/08 10:37
S46	468355	fan or (cooling near system) or peltier	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:45

EAST Search History

S47	22	S46 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:47
S48	33	S28 and (cooling or cooler or fan)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 10:48
S49	67460	DAC or D-A-C or (digital-to-analog) or (digital adj to adj analog)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 11:50
S50	108930	interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 11:24
S51	114890	temperature near5 (correct\$3 or compensat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 11:24
S52	450	S51 and (detect\$3 or sens\$3) and S50 and S49	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 11:25
S53	12	S52 and "345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:01
S59	521	RDAC or (resistor near2 digital near2 analog near2 converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 12:19
S60	299	345/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 12:19
S61	2	S60 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 12:20

EAST Search History

S62	2	S51 and (detect\$3 or sens\$3) and S60 and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 12:20
S63	2	S51 and (detect\$3 or sens\$3) and "345".clas. and S59	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 12:20
S64	67460	DAC or D-A-C or (digital-to-analog) or (digital adj to adj analog)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 16:09
S65	299	345/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 16:09
S66	27	S65 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 16:09
S67	17	S66 and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 16:09
S68	1	"6806871".pn. and interpolat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/09 12:19
S69	1	10/645988.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 12:17
S70	1	S69 and cooling	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 14:45
S71	0	Hudson-Edwin.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/12 14:45

EAST Search History

S72	321	345/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 15:58
S73	10809	silicon near5 die	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 15:58
S74	19082	temperature near5 diode	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 15:58
S75	2	S72 and S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 15:59
S76	25	S72 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 16:02
S77	6	silicon and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 16:16
S78	1	10/627230.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 16:16
S79	5	10/459534.app. or 10/623857.app. or 10/707362.app. or 10/645742.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 16:44
S80	1	("2004/0150594").URPN.	USPAT	OR	ON	2006/10/05 16:47
S81	0	("2005/0073630").URPN.	USPAT	OR	ON	2006/10/05 16:48
S82	0	"20020008680"	USPAT	OR	ON	2006/10/05 16:48
S83	1	"20020008680"	US-PGPUB; USPAT	OR	ON	2006/10/05 16:49
S84	2	"20030107546"	US-PGPUB; USPAT	OR	ON	2006/10/05 16:54
S85	2	"20020186192" or "5841410".pn.	US-PGPUB; USPAT	OR	ON	2006/10/05 16:54

EAST Search History

S86	8157	(DC or direct-current or (direct near current)) with balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:40
S87	7	S72 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/05 17:25
S88	559	silicon same LCD same (small or micro) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:02
S89	321	345/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:00
S90	108	S88 and "345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:01
S91	23446	silicon same die	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:01
S92	126	S91 and "345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:01
S93	2	S92 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:01
S94	978	(silicon near5 die or substrate) same LCD same (small or micro) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:03
S95	96	S94 and "345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:02

EAST Search History

S96	101	(silicon near5 (die or substrate)) same LCD same (small or micro) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:13
S97	14	S96 and "345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:03
S98	797	(silicon near5 (die or substrate)) same (small or micro) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:14
S99	77461	"345".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:14
S100	96	S98 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:15
S101	74	S100 and advantage	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:16
S102	593962	LCD or (liquid near2 crystal)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:17
S103	68	S102 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 09:17
S104	2	"6046715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:03
S105	11272	345/87-101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:40

EAST Search History

S106	8157	(DC or direct-current or (direct near current)) with balanc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:43
S107	121	S105 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:41
S108	2943253	(high and low)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:43
S109	100	S107 and S108	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:42
S110	29	((((DC or direct-current or (direct near current)) with balanc\$3) same ((high and low))) and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 11:44
S111	527568	(black or white) and (mode or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 12:40
S112	90	S111 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 12:41
S113	51	(black same white same (mode or state or drive\$1 or driv\$3)) and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/10/06 12:42